	Application No.	Applicant( )
Notic of Allowability	09/943,983	STUYVER ET AL.
	Examin r	Art Unit
	Kenneth R Horlick	1637
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet.  9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachm nt(s)		
<ul> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statements (PTO-1449), Paper No</li></ul>	4⊡ Interview Sur 6⊠ Examiner's A	ormal Patent Application (PTO-152) mmary (PTO-413), Paper No mendment/Comment statement of Reasons for Allowance

Application/Control Number: 09/943,983 Page 2

Art Unit: 1637

## 1. **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- On page 1, after the title, please insert the following paragraph:
- --This is a divisional of application Serial No. 09/580,794, filed May 30, 2000, U.S. Patent No. 6,331,389, which is a divisional of Serial No. 08/913,833, filed September 15, 1997, U.S. Patent No. 6,087,093, which is a 371 national application of PCT/EP97/00211 filed January 17, 1997, which claims priority under 35 USC 119 to EP 96 870081.5 filed June 25, 1996 and EP 96 870005.4 filed January 26, 1996.--
- 2. The terminal disclaimer filed on 08/27/03 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 6,331,389 or 6,087,093 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Application/Control Number: 09/943,983 Page 3

Art Unit: 1637

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth R Horlick whose telephone number is 703-308-3905. The examiner can normally be reached on Monday-Thursday 6:30AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 703-308-1119. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0196.

Kenneth R Horlick Primary Examiner Art Unit 1637

10/01/03